



High Efficiency Aseptic Packaging Line

Typical Line Capabilities

- Triplex extrusion coating and laminating line for paper, aluminum foils and/or film
- Surface treatment by flame treatment for both sides of the board
- Process capabilities for LDPE, LLDPE and HDPE (mono-extrusion)
- Process capabilities for Ionomer, PP, EAA and EMAA (co-extrusion)
- · Shaftless unwinds and winder

Design Criteria

- Machine line speed 350, 450, 600 or 800 m/min
- Max web width 1350, 1650 and 1900mm
- Minimum web width = half of max web width
- Max roll diameter for paper 1600 up to 2000mm
- Web tension range depending on substrate and width

High Efficiency Aseptic Packaging Line

EQUIPMENT LIST (DEPENDING ON SPEED)

Unwind Section

- Two direction shaftless turret unwind
- Loading table
- · OPG web guide
- Pull roll station
- Flame pre-treating unit for both sides of the web
- Frame with cooling rolls and web overpass

Coating Station (Laminate)

- · Linear 3 roll laminator
- QSE adapter with melt pipe
- · Automatic die type 510 A
- · Two direction shaftless auxiliary unwind for Al foil

Coating Station (Inside)

- · Linear 3 roll laminator
- Co-extruder carriage with 3 or 4 extruders
- · QSE adapters with melt pipes
- 3 layer Feed-block
- · Automatic die type 510 A

Coating Station (Decor)

- Linear 3-roll laminator
- Web over pass
- · Razor blade edge trim
- Trim exhaust with chopper fan
- Extruder carriage with one extruder
- QSE adapter with melt pipe
- · Automatic die type 510 A
- Thickness measuring system and APC control
- Gravimetric dosing and polymer feeding system

Winder Section

Surface winder with shaft extractor or shaft-less turret winder with pull roll

Auxiliary Equipment

- Water pump stations
- Central hydraulic unit
- Foundation plates and extruder guiding rails
- Safety devices
- · Web break detectors
- · Frames and idler rolls

Drives and Controls

- EXACT-S visualization control system
- Davis-Standard Secure Service Support System (DS5)
- AC drives
- · Load cells
- Control & contactor cabinets (PLC)
- Main operating panel
- Power panels and temperature control

OPTIONS

- Water pump stations
- · Central hydraulic unit
- · Foundation plates and extruder guiding rails
- · Safety devices